

P.P.H.U.BEROTEX JAROSLAW MAJTCZAK
UL ZYGMUNTA 56,93-331,LODZ,POLAND

The following sample(s) was/were submitted and identified on behalf of the client as:

Sample Description : (A) POLYESTER OXFORD FABRIC 600D,PU*2,W/R,COLOR 501 WHITE
(B) POLYESTER OXFORD FABRIC 600D,PU*2,W/R,COLOR 305 OLIVE GREEN
(C) POLYESTER OXFORD FABRIC 600D,PU*2,W/R,COLOR 171 RED
(D) POLYESTER OXFORD FABRIC 600D,PU*2,W/R,COLOR 134 GREY
(E) POLYESTER OXFORD FABRIC 600D,PU*2,W/R,COLOR 084 GREEN
(F) POLYESTER OXFORD FABRIC 600D,PU*2,W/R,COLOR 523 ORANGE
(G) POLYESTER OXFORD FABRIC 600D,PU*2,W/R,COLOR 580 BLACK
(H) POLYESTER OXFORD FABRIC 600D,PU*2,W/R,COLOR 693 DARK GREEN
(I) POLYESTER OXFORD FABRIC 600D,PU*2,W/R,COLOR 906 OCEAN
(J) POLYESTER OXFORD FABRIC 600D,PU*2,W/R,COLOR 918 BLUE

Buyer : P.P.H.U.BEROTEX JAROSLAW MAJTCZAK
UL ZYGMUNTA 56,93-331,LODZ,POLAND
Sample Color : (A)501#;(B)305#;(C)171#;(D)134#;(E)084#;(F)523#;(G)580#;(H)693#;(I)906#;(J)918#
Composition : (A)100%POLYESTER;(B)100%POLYESTER;(C)100%POLYESTER;(D)100%POLYESTER;(E)100%POLYESTER;(F)100%POLYESTER;(G)100%POLYESTER;(H)100%POLYESTER;(I)100%POLYESTER;(J)100%POLYESTER
Style No. : POLYESTER OXFORD FABRIC 600D,PU*2,W/R
Order No. : 2022LB003
Category : ADULT
Country of Destination : Europe
Retest : No

Sample Receiving Date : May 09, 2022
Testing Period : May 10, 2022 - May 17, 2022
Test Result(s) : Unless otherwise stated the results shown in this test report refer only to the sample(s) tested, for further details, please refer to the following page(s).

Test Performed : Selected test(s) as requested by applicant



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Ningbo Branch Textile Laboratory
Ningbo Branch Textile Laboratory

1-5F West No. 4 Building, Lingyun Industry Park, No.1177 Lingyun Road, Ningbo National Hi-Tech Zone, Ningbo, China 315040 t (86-574)87767006 f (86-574)87764217 www.sgs.com.cn
中国·浙江·宁波市国家高新区凌云路1177号凌云产业园4号楼西1-5层 邮编: 315040 t (86-574)87767006 f (86-574)87764217 e sgs.china@sgs.com

Summary:

According to the specified scope and evaluation screening, the test results of SVHC are $\leq 0.1\%$ (w/w) in the submitted sample.

Pass

Signed for and on behalf of
SGS-CSTC Standards Technical Services Co., Ltd. Ningbo Branch



Harry Hao (Account Executive)



SGS-CSTC Standards Technical Services Co., Ltd.
Ningbo Branch Textile Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

1-5F West No. 4 Building, Lingyun Industry Park, No.1177 Lingyun Road, Ningbo National Hi-Tech Zone, Ningbo, China 315040 t (86-574)87767006 f (86-574)87764217 www.sgs.com.cn
中国·浙江·宁波市国家高新区凌云路1177号凌云产业园4号楼西1-5层 邮编: 315040 t (86-574)87767006 f (86-574)87764217 e sgs.china@sgs.com

COMPONENT LIST / List of Materials

| Sample No. | Component No. | Description | Material | Color | Remark |
|------------|---------------|--------------|------------------|-------|--------|
| A | 1 | WOVEN FABRIC | Synthetic Fibers | 501# | |
| B | 2 | WOVEN FABRIC | Synthetic Fibers | 305# | |
| C | 3 | WOVEN FABRIC | Synthetic Fibers | 171# | |
| D | 4 | WOVEN FABRIC | Synthetic Fibers | 134# | |
| E | 5 | WOVEN FABRIC | Synthetic Fibers | 084# | |
| F | 6 | WOVEN FABRIC | Synthetic Fibers | 523# | |
| G | 7 | WOVEN FABRIC | Synthetic Fibers | 580# | |
| H | 8 | WOVEN FABRIC | Synthetic Fibers | 693# | |
| I | 9 | WOVEN FABRIC | Synthetic Fibers | 906# | |
| J | 10 | WOVEN FABRIC | Synthetic Fibers | 918# | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Ningbo Branch Textile Laboratory
Ningbo Branch Textile Laboratory

1-5F West No. 4 Building, Lingyun Industry Park, No.1177 Lingyun Road, Ningbo National Hi-Tech Zone, Ningbo, China 315040 t (86-574)87767006 f (86-574)87764217 www.sgsgroup.com.cn
中国·浙江·宁波市国家高新区凌云路1177号凌云产业园4号楼西1-5层 邮编: 315040 t (86-574)87767006 f (86-574)87764217 e sgs.china@sgs.com

Test Result

Remark :

1. The chemical analysis of specified SVHC is performed by means of currently available analytical techniques against the following SVHC related documents published by ECHA:
<http://echa.europa.eu/web/guest/candidate-list-table>
These lists are under evaluation by ECHA and may subject to change in the future.

2. REACH obligation:

2.1 Concerning article(s):

Communication:

Article 33 of Regulation (EC) No 1907/2006 requires supplier of an article containing a substance meeting the criteria in Article 57 and identified in accordance with Article 59(1) in a concentration above 0.1% weight by weight (w/w) shall provide the recipient of the article with sufficient information, available to the supplier, to allow safe use of the article including, as a minimum, the name of that substance in the Candidate List.

Notification:

In accordance with Regulation (EC) No 1907/2006, any EU producer or importer of articles shall notify ECHA, in accordance with paragraph 4 of Article 7, if a substance meets the criteria in Article 57 and is identified in accordance with Article 59(1) of the Regulation, if (a) the substance in the Candidate List is present in those articles in quantities totaling over one tonne per producer or importer per year; and (b) the substance in the Candidate List is present in those articles above a concentration of 0.1% weight by weight (w/w).

SGS adopts the ruling of the Court of Justice of the European Union on the definition of an article under REACH unless indicated otherwise. Detail explanation is available at the following link:

<http://www.sgs.com/-/media/global/documents/technical-documents/technical-bulletins/sgs-crs-position-statement-on-svhc-in-articles-a4-en-16-06.pdf?la=en>

2.2 Concerning material(s):

Test results in this report are based on the tested sample. This report refers to testing result of tested sample submitted as homogenous material(s). In case such material is being used to compose an article, the results indicated in this report may not represent SVHC concentration in such article. If this report refers to testing result of composite material group by equal weight proportion, the material in each composite test group may come from more than one article.

If the sample is a substance or mixture, and it directly exports to EU, client has the obligation to comply with the supply chain communication obligation under Article 31 of Regulation (EC) No. 1907/2006 and the conditions of Authorization of substance of very high concern included in the Annex XIV of the Regulation (EC) No. 1907/2006.

2.3 Concerning substance and preparation:

If a SVHC is found over 0.1% (w/w) and/or the specific concentration limit which is set in Regulation (EC) No 1272/2008 and its amendments, client is suggested to prepare a Safety Data Sheet (SDS) against the SVHC to comply with the supply chain communication obligation under Regulation (EC) No 1907/2006, in which:

- a substance that is classified as hazardous under the CLP Regulation (EC) No 1272/2008.
- a mixture that is classified as hazardous under the CLP Regulation (EC) No 1272/2008, when it contains a substance with concentration equal to, or greater than the classification limit as set in Regulation (EC) No. 1272/2008; or
- a mixture is not classified as hazardous under the CLP Regulation (EC) No 1272/2008, but contains either:



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

1-5F West No. 4 Building, Lingyun Industry Park, No.1177 Lingyun Road, Ningbo National Hi-Tech Zone, Ningbo, China 315040 t (86-574)87767006 f (86-574)87764217 www.sgs.com.cn
中国·浙江·宁波市国家高新区凌云路1177号凌云产业园4号楼西1-5层 邮编: 315040 t (86-574)87767006 f (86-574)87764217 e sgs.china@sgs.com

Test Report

SL72207271923701TX

Date: May 17, 2022

Page 5 of 15

- (a) a substance posing human health or environmental hazards in an individual concentration of $\geq 1\%$ by weight for mixtures that are solid or liquids (i.e., non-gaseous mixtures) or $\geq 0.2\%$ by volume for gaseous mixtures; or
- (b) a substance that is PBT, or vPvB in an individual concentration of $\geq 0.1\%$ by weight for mixtures that are solid or liquids (i.e., non-gaseous mixtures); or
- (c) a substance on the SVHC candidate list (for reasons other than those listed above), in an individual concentration of $\geq 0.1\%$ by weight for non-gaseous mixtures; or
- (d) a substance for which there are Europe-wide workplace exposure limits

3. If a SVHC is found over the reporting limit, client is suggested to identify the composite component which contains the SVHC and the exact concentration of the SVHC by requesting further quantitative analysis from the laboratory.

Test Sample:

Testing Group:

| Test Result ID | Description | Test Part ID | SGS Sample ID |
|----------------|--|--------------------------|--------------------|
| 001 | <p>A</p> <p>501# WOVEN FABRIC + B</p> <p>305# WOVEN FABRIC + C</p> <p>171# WOVEN FABRIC + D</p> <p>134# WOVEN FABRIC + E</p> <p>084# WOVEN FABRIC + F</p> <p>523# WOVEN FABRIC + G 580#</p> <p>WOVEN FABRIC + H</p> <p>693# WOVEN FABRIC + I</p> <p>906# WOVEN FABRIC + J</p> <p>918# WOVEN FABRIC</p> | 1+2+3+4+5+ 6+7+8+9+10 | NGB22-0014554-0011 |

Test Method:

With reference to SGS In-House method, analysis was performed by ICP-OES, UV-VIS, GC-MS, HPLC-DAD/MS and Colorimetric Method.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC
Ningbo Branch Textile Laboratory

1-5F West No. 4 Building, Lingyun Industry Park, No.1177 Lingyun Road, Ningbo National Hi-Tech Zone, Ningbo, China 315040 t (86-574)87767006 f (86-574)87764217 www.sgsgroup.com.cn
中国·浙江·宁波市国家高新区凌云路1177号凌云产业园4号楼西1-5层 邮编: 315040 t (86-574)87767006 f (86-574)87764217 e sgs.china@sgs.com

Test Results: (Substances in the Candidate List of SVHC)

| Batch | Substance Name | CAS No. | 001 Concentration (%) | RL (%) |
|-------|-----------------------------------|---------|--------------------------|--------|
| - | All tested SVHC in Candidate list | - | ND | - |

Test Results: (Potential SVHC)

| Batch | Substance Name | CAS No. | 001 Concentration (%) | RL (%) |
|-------|---------------------------|---------|--------------------------|--------|
| / | All tested Potential SVHC | - | ND | - |

Notes:

- (1) The table above only shows detected SVHC, and SVHC that below RL are not reported. Please refer to Appendix for the full list of tested SVHC.
- (2) RL = Reporting Limit (Test data will be shown if it \geq RL. RL is not regulatory limit.)
ND = Not detected (lower than RL), ND is denoted on the SVHC substance.
- (3) * The test result is based on the calculation of selected element(s) and to the worst-case scenario.
** The test result is based on the calculation of selected marker(s) and to the worst-case scenario.
- Calculated concentration of boric compounds are based on water extractive boron detected by ICP-OES.
- RL = 0.005% is evaluated for element (i.e. cobalt, arsenic, lead, chromium (VI), aluminum, zirconium, boron, strontium, zinc, antimony, titanium, barium, cadmium respectively), except molybdenum RL=0.0005%, boron RL=0.0025% (only for Lead bis(tetrafluoroborate)).
- (4) § The substance is proposed for the identification as SVHC only where it contains Michler's ketone (CAS Number: 90-94-8) or Michler's base (CAS Number: 101-61-1) $\geq 0.1\%$ (w/w).
- (5) / = Potential SVHC
- (6) Composite test has been performed in equal proportion for the components/material per client requested. And the result is calculated using the minimum sample weight.

Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019.



Appendix
Full list of tested SVHC:

| Batch | No. | Substance Name | CAS No. | RL (%) |
|-------|-----|--|------------------------|--------|
| I | 1 | 4,4'-Diaminodiphenylmethane(MDA) | 101-77-9 | 0.050 |
| I | 2 | 5-tert-butyl-2,4,6-trinitro-m-xylene (musk xylene) | 81-15-2 | 0.050 |
| I | 3 | Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins) | 85535-84-8 | 0.050 |
| I | 4 | Anthracene | 120-12-7 | 0.050 |
| I | 5 | Benzyl butyl phthalate (BBP) | 85-68-7 | 0.050 |
| I | 6 | Bis(2-ethylhexyl)phthalate (DEHP) | 117-81-7 | 0.050 |
| I | 7 | Bis(tributyltin)oxide (TBTO) | 56-35-9 | 0.050 |
| I | 8 | Cobalt dichloride* | 7646-79-9 | 0.005 |
| I | 9 | Diarsenic pentaoxide* | 1303-28-2 | 0.005 |
| I | 10 | Diarsenic trioxide* | 1327-53-3 | 0.005 |
| I | 11 | Dibutyl phthalate (DBP) | 84-74-2 | 0.050 |
| I | 12 | Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α-HBCDD, β-HBCDD, γ-HBCDD) Δ | - | 0.050 |
| I | 13 | Lead hydrogen arsenate* | 7784-40-9 | 0.005 |
| I | 14 | Sodium dichromate* | 10588-01-9 / 7789-12-0 | 0.005 |
| I | 15 | Triethyl arsenate* | 15606-95-8 | 0.005 |
| II | 16 | 2,4-Dinitrotoluene | 121-14-2 | 0.050 |
| II | 17 | Acrylamide | 79-06-1 | 0.050 |
| II | 18 | Anthracene oil** | 90640-80-5 | 0.050 |
| II | 19 | Anthracene oil, anthracene paste** | 90640-81-6 | 0.050 |
| II | 20 | Anthracene oil, anthracene paste, anthracene fraction** | 91995-15-2 | 0.050 |
| II | 21 | Anthracene oil, anthracene paste, distn. Lights** | 91995-17-4 | 0.050 |
| II | 22 | Anthracene oil, anthracene-low** | 90640-82-7 | 0.050 |
| II | 23 | Diisobutyl phthalate | 84-69-5 | 0.050 |
| II | 24 | Lead chromate molybdate sulphate red (C.I. Pigment Red 104)* | 12656-85-8 | 0.005 |
| II | 25 | Lead chromate* | 7758-97-6 | 0.005 |
| II | 26 | Lead sulfochromate yellow (C.I. Pigment Yellow 34)* | 1344-37-2 | 0.005 |
| II | 27 | Pitch, coal tar, high temp. ** | 65996-93-2 | 0.050 |
| II | 28 | Tris(2-chloroethyl)phosphate | 115-96-8 | 0.050 |
| III | 29 | Ammonium dichromate* | 7789-09-5 | 0.005 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

1-5F West No. 4 Building, Lingyun Industry Park, No.1177 Lingyun Road, Ningbo National Hi-Tech Zone, Ningbo, China 315040 t (86-574)87767006 f (86-574)87764217 www.sgs.com.cn
中国·浙江·宁波市国家高新区凌云路1177号凌云产业园4号楼西1-5层 邮编: 315040 t (86-574)87767006 f (86-574)87764217 e sgs.china@sgs.com

| Batch | No. | Substance Name | CAS No. | RL (%) |
|-------|-----|---|--|--------|
| III | 30 | Boric acid* | - | 0.005 |
| III | 31 | Disodium tetraborate, anhydrous* | 12179-04-3 /1303-96-4 /1330-43-4 | 0.005 |
| III | 32 | Potassium chromate* | 7789-00-6 | 0.005 |
| III | 33 | Potassium dichromate* | 7778-50-9 | 0.005 |
| III | 34 | Sodium chromate* | 7775-11-3 | 0.005 |
| III | 35 | Tetraboron disodium heptaoxide, hydrate* | 12267-73-1 | 0.005 |
| III | 36 | Trichloroethylene | 79-01-6 | 0.050 |
| IV | 37 | 2-Ethoxyethanol | 110-80-5 | 0.050 |
| IV | 38 | 2-Methoxyethanol | 109-86-4 | 0.050 |
| IV | 39 | Chromic acid, Oligomers of chromic acid and dichromic acid, Dichromic acid* | - | 0.005 |
| IV | 40 | Chromium trioxide* | 1333-82-0 | 0.005 |
| IV | 41 | Cobalt(II) carbonate* | 513-79-1 | 0.005 |
| IV | 42 | Cobalt(II) diacetate* | 71-48-7 | 0.005 |
| IV | 43 | Cobalt(II) dinitrate* | 10141-05-6 | 0.005 |
| IV | 44 | Cobalt(II) sulphate* | 10124-43-3 | 0.005 |
| V | 45 | 1,2,3-trichloropropane | 96-18-4 | 0.050 |
| V | 46 | 1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich | 71888-89-6 | 0.050 |
| V | 47 | 1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters | 68515-42-4 | 0.050 |
| V | 48 | 1-methyl-2-pyrrolidone | 872-50-4 | 0.050 |
| V | 49 | 2-ethoxyethyl acetate | 111-15-9 | 0.050 |
| V | 50 | Hydrazine | 302-01-2 /7803-57-8 | 0.050 |
| V | 51 | strontium chromate* | 7789-06-2 | 0.005 |
| VI | 52 | 1,2-Dichloroethane | 107-06-2 | 0.050 |
| VI | 53 | 2,2'-dichloro-4,4'-methylenedianiline | 101-14-4 | 0.050 |
| VI | 54 | 2-Methoxyaniline; o-Anisidine | 90-04-0 | 0.050 |
| VI | 55 | 4-(1,1,3,3-tetramethylbutyl)phenol | 140-66-9 | 0.050 |
| VI | 56 | Aluminosilicate Refractory Ceramic Fibres* | - | 0.005 |
| VI | 57 | Arsenic acid* | 7778-39-4 | 0.005 |
| VI | 58 | Bis(2-methoxyethyl) ether | 111-96-6 | 0.050 |
| VI | 59 | Bis(2-methoxyethyl) phthalate | 117-82-8 | 0.050 |
| VI | 60 | Calcium arsenate* | 7778-44-1 | 0.005 |



| Batch | No. | Substance Name | CAS No. | RL (%) |
|-------|-----|--|------------|--------|
| VI | 61 | Dichromium tris(chromate)* | 24613-89-6 | 0.005 |
| VI | 62 | Formaldehyde, oligomeric reaction products with aniline | 25214-70-4 | 0.050 |
| VI | 63 | Lead diazide, Lead azide* | 13424-46-9 | 0.005 |
| VI | 64 | Lead dipicrate* | 6477-64-1 | 0.005 |
| VI | 65 | Lead styphnate* | 15245-44-0 | 0.005 |
| VI | 66 | N,N-dimethylacetamide | 127-19-5 | 0.050 |
| VI | 67 | Pentazinc chromate octahydroxide* | 49663-84-5 | 0.005 |
| VI | 68 | Phenolphthalein | 77-09-8 | 0.050 |
| VI | 69 | Potassium hydroxyoctaoxidizincatedichromate* | 11103-86-9 | 0.005 |
| VI | 70 | Trilead diarsenate* | 3687-31-8 | 0.005 |
| VI | 71 | Zirconia Aluminosilicate Refractory Ceramic Fibres* | - | 0.005 |
| VII | 72 | [4-[[4-anilino-1-naphthyl][4-(dimethylamino)phenyl]methylene]cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Blue 26)§ | 2580-56-5 | 0.050 |
| VII | 73 | [4-[4,4'-bis(dimethylamino)benzhydrylidene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride (C.I. Basic Violet 3) § | 548-62-9 | 0.050 |
| VII | 74 | 1,2-bis(2-methoxyethoxy)ethane (TEGDME; triglyme) | 112-49-2 | 0.050 |
| VII | 75 | 1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME) | 110-71-4 | 0.050 |
| VII | 76 | 4,4'-bis(dimethylamino) benzophenone (Michler's Ketone) | 90-94-8 | 0.050 |
| VII | 77 | 4,4'-bis(dimethylamino)-4''-(methylanino)trityl alcohol§ | 561-41-1 | 0.050 |
| VII | 78 | Diboron trioxide* | 1303-86-2 | 0.005 |
| VII | 79 | Formamide | 75-12-7 | 0.050 |
| VII | 80 | Lead(II) bis(methanesulfonate)* | 17570-76-2 | 0.005 |
| VII | 81 | N,N,N',N'-tetramethyl-4,4'-methylenedianiline (Michler's base) | 101-61-1 | 0.050 |
| VII | 82 | TGIC (1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione) | 2451-62-9 | 0.050 |
| VII | 83 | α,α-Bis[4-(dimethylamino)phenyl]-4 (phenylamino)naphthalene-1-methanol (C.I. Solvent Blue 4) § | 6786-83-0 | 0.050 |
| VII | 84 | β-TGIC (1,3,5-tris[(2S and 2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione) | 59653-74-6 | 0.050 |
| VIII | 85 | [Phthalato(2-)]dioxotrilead* | 69011-06-9 | 0.005 |
| VIII | 86 | 1,2-Benzenedicarboxylic acid, dipentylester, | 84777-06-0 | 0.050 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

| Batch | No. | Substance Name | CAS No. | RL (%) |
|-------|-----|---|-------------|--------|
| | | branched and linear | | |
| VIII | 87 | 1,2-Diethoxyethane | 629-14-1 | 0.050 |
| VIII | 88 | 1-Bromopropane | 106-94-5 | 0.050 |
| VIII | 89 | 3-Ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine | 143860-04-2 | 0.050 |
| VIII | 90 | 4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated | - | 0.050 |
| VIII | 91 | 4,4'-Methylenedi-o-toluidine | 838-88-0 | 0.050 |
| VIII | 92 | 4,4'-Oxydianiline and its salts | 101-80-4 | 0.050 |
| VIII | 93 | 4-Aminoazobenzene | 60-09-3 | 0.050 |
| VIII | 94 | 4-Methyl-m-phenylenediamine | 95-80-7 | 0.050 |
| VIII | 95 | 4-Nonylphenol, branched and linear | - | 0.050 |
| VIII | 96 | 6-Methoxy-m-toluidine | 120-71-8 | 0.050 |
| VIII | 97 | Acetic acid, lead salt, basic* | 51404-69-4 | 0.005 |
| VIII | 98 | Biphenyl-4-ylamine | 92-67-1 | 0.050 |
| VIII | 99 | Decabromodiphenyl ether (DecaBDE) | 1163-19-5 | 0.050 |
| VIII | 100 | Cyclohexane-1,2-dicarboxylic anhydride, cis-cyclohexane-1,2-dicarboxylic anhydride, trans-cyclohexane-1,2-dicarboxylic anhydride | - | 0.050 |
| VIII | 101 | Diazeno-1,2-dicarboxamide (C,C'-azodi(formamide)) | 123-77-3 | 0.050 |
| VIII | 102 | Dibutyltin dichloride (DBTC) | 683-18-1 | 0.050 |
| VIII | 103 | Diethyl sulphate | 64-67-5 | 0.050 |
| VIII | 104 | Diisopentylphthalate | 605-50-5 | 0.050 |
| VIII | 105 | Dimethyl sulphate | 77-78-1 | 0.050 |
| VIII | 106 | Dinoseb | 88-85-7 | 0.050 |
| VIII | 107 | Dioxobis(stearato)trilead* | 12578-12-0 | 0.005 |
| VIII | 108 | Fatty acids, C16-18, lead salts* | 91031-62-8 | 0.005 |
| VIII | 109 | Furan | 110-00-9 | 0.050 |
| VIII | 110 | Henicosafuoroundecanoic acid | 2058-94-8 | 0.050 |
| VIII | 111 | Heptacosafuorotetradecanoic acid | 376-06-7 | 0.050 |
| VIII | 112 | Hexahydromethylphthalic anhydride, Hexahydro-4-methylphthalic anhydride, Hexahydro-1-methylphthalic anhydride, Hexahydro-3-methylphthalic anhydride | - | 0.050 |
| VIII | 113 | Lead bis(tetrafluoroborate)* | 13814-96-5 | 0.005 |
| VIII | 114 | Lead cyanamidate* | 20837-86-9 | 0.005 |
| VIII | 115 | Lead dinitrate* | 10099-74-8 | 0.005 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

| Batch | No. | Substance Name | CAS No. | RL (%) |
|-------|-----|--|-------------|--------|
| VIII | 116 | Lead monoxide* | 1317-36-8 | 0.005 |
| VIII | 117 | Lead oxide sulfate* | 12036-76-9 | 0.005 |
| VIII | 118 | Lead tetroxide (orange lead)* | 1314-41-6 | 0.005 |
| VIII | 119 | Lead titanium trioxide* | 12060-00-3 | 0.005 |
| VIII | 120 | Lead titanium zirconium oxide* | 12626-81-2 | 0.005 |
| VIII | 121 | Methoxyacetic acid | 625-45-6 | 0.050 |
| VIII | 122 | Methyloxirane (Propylene oxide) | 75-56-9 | 0.050 |
| VIII | 123 | N,N-Dimethylformamide | 68-12-2 | 0.050 |
| VIII | 124 | N-Methylacetamide | 79-16-3 | 0.050 |
| VIII | 125 | N-Pentyl-isopentylphthalate | 776297-69-9 | 0.050 |
| VIII | 126 | o-Aminoazotoluene | 97-56-3 | 0.050 |
| VIII | 127 | o-Toluidine | 95-53-4 | 0.050 |
| VIII | 128 | Pentacosafuorotridecanoic acid | 72629-94-8 | 0.050 |
| VIII | 129 | Pentalead tetraoxide sulphate* | 12065-90-6 | 0.005 |
| VIII | 130 | Pyrochlore, antimony lead yellow* | 8012-00-8 | 0.005 |
| VIII | 131 | Silicic acid, barium salt, lead-doped* | 68784-75-8 | 0.005 |
| VIII | 132 | Silicic acid, lead salt* | 11120-22-2 | 0.005 |
| VIII | 133 | Sulfurous acid, lead salt, dibasic* | 62229-08-7 | 0.005 |
| VIII | 134 | Tetraethyllead* | 78-00-2 | 0.005 |
| VIII | 135 | Tetralead trioxide sulphate* | 12202-17-4 | 0.005 |
| VIII | 136 | Tricosafuorododecanoic acid | 307-55-1 | 0.050 |
| VIII | 137 | Trilead bis(carbonate)dihydroxide (basic lead carbonate)* | 1319-46-6 | 0.005 |
| VIII | 138 | Trilead dioxide phosphonate* | 12141-20-7 | 0.005 |
| IX | 139 | 4-Nonylphenol, branched and linear, ethoxylated | - | 0.050 |
| IX | 140 | Ammonium pentadecafluorooctanoate (APFO)** | 3825-26-1 | 0.050 |
| IX | 141 | Cadmium oxide* | 1306-19-0 | 0.005 |
| IX | 142 | Cadmium | 7440-43-9 | 0.005 |
| IX | 143 | Dipentyl phthalate (DPP) | 131-18-0 | 0.050 |
| IX | 144 | Pentadecafluorooctanoic acid (PFOA) | 335-67-1 | 0.050 |
| X | 145 | Cadmium sulphide* | 1306-23-6 | 0.005 |
| X | 146 | Dihexyl phthalate | 84-75-3 | 0.050 |
| X | 147 | Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis(4-aminonaphthalene-1-sulphonate) (C.I. Direct Red 28) | 573-58-0 | 0.050 |



| Batch | No. | Substance Name | CAS No. | RL (%) |
|-------|-----|--|---------------------------|--------|
| X | 148 | Disodium 4-amino-3-[[4'-[(2,4-diaminophenyl)azo][1,1'-biphenyl]-4-yl]azo]-5-hydroxy-6-(phenylazo)naphthalene-2,7-disulphonate (C.I. Direct Black 38) | 1937-37-7 | 0.050 |
| X | 149 | Imidazolidine-2-thione; (2-imidazoline-2-thiol) | 96-45-7 | 0.050 |
| X | 150 | Lead di(acetate)* | 301-04-2 | 0.005 |
| X | 151 | Trixylyl phosphate | 25155-23-1 | 0.050 |
| XI | 152 | 1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear | 68515-50-4 | 0.050 |
| XI | 153 | Cadmium chloride* | 10108-64-2 | 0.005 |
| XI | 154 | Sodium perborate; perboric acid, sodium salt* | - | 0.005 |
| XI | 155 | Sodium peroxometaborate* | 7632-04-4 | 0.005 |
| XII | 156 | 2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328) | 25973-55-1 | 0.050 |
| XII | 157 | 2-benzotriazol-2-yl-4,6-di-tert-butylphenol (UV-320) | 3846-71-7 | 0.050 |
| XII | 158 | 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (DOTE) | 15571-58-1 | 0.050 |
| XII | 159 | Cadmium fluoride* | 7790-79-6 | 0.005 |
| XII | 160 | Cadmium sulphate* | 10124-36-4 /31119-53-6 | 0.005 |
| XII | 161 | Reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate & 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (reaction mass of DOTE & MOTE) | - | 0.050 |
| XIII | 162 | 1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate | - | 0.050 |
| XIII | 163 | 5-sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [1], 5-sec-butyl-2-(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [2] [covering any of the individual isomers of [1] and [2] or any combination thereof] | - | 0.050 |
| XIV | 164 | 1,3-propanesultone | 1120-71-4 | 0.050 |
| XIV | 165 | 2,4-di-tert-butyl-6-(5-chlorobenzotriazol-2-yl)phenol (UV-327) | 3864-99-1 | 0.050 |
| XIV | 166 | 2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl)phenol (UV-350) | 36437-37-3 | 0.050 |
| XIV | 167 | Nitrobenzene | 98-95-3 | 0.050 |
| XIV | 168 | Perfluorononan-1-oic-acid and its sodium and ammonium salts | - | 0.050 |



| Batch | No. | Substance Name | CAS No. | RL (%) |
|-------|-----|--|------------|--------|
| XV | 169 | Benzo[def]chrysene (Benzo[a]pyrene) | 50-32-8 | 0.050 |
| XVI | 170 | 4,4'-isopropylidenediphenol (bisphenol A) | 80-05-7 | 0.050 |
| XVI | 171 | 4-Heptylphenol, branched and linear | - | 0.050 |
| XVI | 172 | Nonadecafluorodecanoic acid (PFDA) and its sodium and ammonium salts | - | 0.050 |
| XVI | 173 | p-(1,1-dimethylpropyl)phenol | 80-46-6 | 0.050 |
| XVII | 174 | Perfluorohexane-1-sulphonic acid and its salts | - | 0.050 |
| XVIII | 175 | 1,6,7,8,9,14,15,16,17,17,18,18-Dodecachloropentacyclo[12.2.1.16,9.02,13.05,10]octadeca-7,15-diene ("Dechlorane Plus"™) [covering any of its individual anti- and syn-isomers or any combination thereof] | - | 0.050 |
| XVIII | 176 | Benz[a]anthracene | 56-55-3 | 0.050 |
| XVIII | 177 | Cadmium nitrate* | 10325-94-7 | 0.005 |
| XVIII | 178 | Cadmium carbonate* | 513-78-0 | 0.005 |
| XVIII | 179 | Cadmium hydroxide* | 21041-95-2 | 0.005 |
| XVIII | 180 | Chrysene | 218-01-9 | 0.050 |
| XVIII | 181 | Reaction products of 1,3,4-thiadiazolidine-2,5-dithione, formaldehyde and 4-heptylphenol, branched and linear (RP-HP) [with ≥0.1% w/w 4-heptylphenol, branched and linear] | - | 0.050 |
| XIX | 182 | Benzene-1,2,4-tricarboxylic acid 1,2 anhydride (trimellitic anhydride) (TMA) | 552-30-7 | 0.050 |
| XIX | 183 | Benzo[ghi]perylene | 191-24-2 | 0.050 |
| XIX | 184 | Decamethylcyclopentasiloxane (D5) | 541-02-6 | 0.050 |
| XIX | 185 | Dicyclohexyl phthalate (DCHP) | 84-61-7 | 0.050 |
| XIX | 186 | Disodium octaborate* | 12008-41-2 | 0.005 |
| XIX | 187 | Dodecamethylcyclohexasiloxane (D6) | 540-97-6 | 0.050 |
| XIX | 188 | Ethylenediamine (EDA) | 107-15-3 | 0.050 |
| XIX | 189 | Lead | 7439-92-1 | 0.005 |
| XIX | 190 | Octamethylcyclotetrasiloxane (D4) | 556-67-2 | 0.050 |
| XIX | 191 | Terphenyl, hydrogenated | 61788-32-7 | 0.050 |
| XX | 192 | 1,7,7-trimethyl-3-(phenylmethylene)bicyclo[2.2.1]heptan-2-one (3-benzylidene camphor) | 15087-24-8 | 0.050 |
| XX | 193 | 2,2-bis(4'-hydroxyphenyl)-4-methylpentane | 6807-17-6 | 0.050 |
| XX | 194 | Benzo[k]fluoranthene | 207-08-9 | 0.050 |
| XX | 195 | Fluoranthene | 206-44-0 | 0.050 |
| XX | 196 | Phenanthrene | 85-01-8 | 0.050 |



| Batch | No. | Substance Name | CAS No. | RL (%) |
|-------|-----|--|-------------|--------|
| XX | 197 | Pyrene | 129-00-0 | 0.050 |
| XXI | 198 | 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propionic acid, its salts and its acyl halides (covering any of their individual isomers and combinations thereof) | - | 0.050 |
| XXI | 199 | 2-methoxyethyl acetate | 110-49-6 | 0.050 |
| XXI | 200 | 4-tert-butylphenol (PTBP) | 98-54-4 | 0.050 |
| XXI | 201 | Tris(4-nonylphenyl, branched and linear) phosphite (TNPP) with $\geq 0.1\%$ w/w of 4-nonylphenol, branched and linear (4-NP) | - | 0.050 |
| XXII | 202 | 2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone | 119313-12-1 | 0.050 |
| XXII | 203 | 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one | 71868-10-5 | 0.050 |
| XXII | 204 | Diisohexyl phthalate | 71850-09-4 | 0.050 |
| XXII | 205 | Perfluorobutane sulfonic acid (PFBS) and its salts | - | 0.050 |
| XXIII | 206 | 1-vinylimidazole | 1072-63-5 | 0.050 |
| XXIII | 207 | 2-methylimidazole | 693-98-1 | 0.050 |
| XXIII | 208 | Butyl 4-hydroxybenzoate | 94-26-8 | 0.050 |
| XXIII | 209 | Dibutylbis(pentane-2,4-dionato-O,O')tin** | 22673-19-4 | 0.050 |
| XXIV | 210 | bis(2-(2-methoxyethoxy)ethyl) ether | 143-24-8 | 0.050 |
| XXIV | 211 | Dioctyltin dilaurate, stannane, dioctyl-, bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety** | - | 0.050 |
| XXV | 212 | 1,4-Dioxane | 123-91-1 | 0.050 |
| XXV | 213 | 2,2-bis(bromomethyl)propane 1,3-diol (BMP); 2,2-dimethylpropan-1-ol, tribromo derivative/3-bromo-2,2-bis(bromomethyl)-1-propanol (TBNPA); 2,3-dibromo-1-propanol (2,3-DBPA) | - | 0.050 |
| XXV | 214 | 2-(4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers | - | 0.050 |
| XXV | 215 | 4,4'-(1-methylpropylidene)bisphenol; (bisphenol B) | 77-40-7 | 0.050 |
| XXV | 216 | Glutaral | 111-30-8 | 0.050 |
| XXV | 217 | Medium-chain chlorinated paraffins (MCCP) [UVCB substances consisting of more than or equal to 80% linear chloroalkanes with carbon chain lengths within the range from C14 to C17] | - | 0.050 |
| XXV | 218 | Orthoboric acid, sodium salt* | 13840-56-7 | 0.005 |
| XXV | 219 | Phenol, alkylation products (mainly in para position) with C12-rich branched or linear alkyl | - | 0.050 |



| Batch | No. | Substance Name | CAS No. | RL (%) |
|-------|-----|--|-------------|--------|
| | | chains from oligomerisation, covering any individual isomers and/ or combinations thereof (PDDP) | | |
| XXVI | 220 | (±)-1,7,7-trimethyl-3-[(4-methylphenyl)methylene]bicyclo[2.2.1]heptan-2-one covering any of the individual isomers and/or combinations thereof (4-MBC) | - | 0.050 |
| XXVI | 221 | 6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol (DBMC) | 119-47-1 | 0.050 |
| XXVI | 222 | S-(tricyclo[5.2.1.0'2,6]deca-3-en-8(or 9)-yl) O-(isopropyl or isobutyl or 2-ethylhexyl) O-(isopropyl or isobutyl or 2-ethylhexyl) phosphorodithioate | 255881-94-8 | 0.050 |
| XXVI | 223 | Tris(2-methoxyethoxy)vinylsilane | 1067-53-4 | 0.050 |
| / | 224 | Resorcinol | 108-46-3 | 0.050 |
| / | 225 | N-(hydroxymethyl)acrylamide | 924-42-5 | 0.050 |

The statement of conformity in this test report is only based on measured values by the laboratory and does not take their uncertainties into consideration.

End of Report



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Technical Services Co., Ltd. 1-5F West No. 4 Building, Lingyun Industry Park, No.1177 Lingyun Road, Ningbo National Hi-Tech Zone, Ningbo, China 315040 t (86-574)87767006 f (86-574)87764217 www.sgs.com.cn
 中国·浙江·宁波市国家高新区凌云路1177号凌云产业园4号楼西1-5层 邮编: 315040 t (86-574)87767006 f (86-574)87764217 e sgs.china@sgs.com